Helium-3

Safety Data Sheet

1. PRODUCT AND COMPANY IDENTIFICATION

Product Name	HELIUM-3
Product Code(s)	02-01-03
UN-Number	UN1046
Recommended Use	Compressed gas
Synonyms	Helium; Isotopic Helium; ³ He
Supplier Address*	Wuhan Newradar Special Gas Co.,Ltd
	Room 1401, building 3, wanda global international center, songzhu road, hongshan district, wuhan www.newradargas.com

2. HAZARDS IDENTIFICATION

WARNING!

Emergency Overview

Intentional misus	Simple asphyxiant Contents under pressure se of this product can cause serious lung damage or death. Keep at temperatures below 52°C / 125°F
Appearance: Co	olorless. Physical State: Compressed gas. Odor: Odorless.
OSHA Regulatory Status	This material is considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200).
Potential Health Effects	
Principle Routes of Exposure	Inhalation.
Acute Toxicity	
Inhalation	Simple asphyxiant. May cause suffocation by displacing the oxygen in the air. Exposure to oxygen-deficient atmosphere (<19.5%) may cause dizziness, drowsiness, nausea, vomiting, excess salivation, diminished mental alertness, loss of consciousness and death. Exposure to atmospheres containing 8-10% or less oxygen will bring about unconsciousness without warning and so quickly that the individuals cannot help or protect themselves. Lack of sufficient oxygen may cause serious injury or death.
Eyes Skin	None known.
UNIT .	

Skin Absorption Hazard	No known hazard in contact with skin.
Ingestion	None known.
Chronic Effects	None known.
Aggravated Medical Conditions	None known.
Environmental Hazard	See Section 12 for additional Ecological Information.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name:	He-3 Helium
CAS No.	14762-55-1
Volume %	>99
Chemical Formula	He3

4. FIRST AID MEASURES

Eye Contact	None under normal use. Get medical attention if symptoms occur.
Skin Contact	None under normal use. Get medical attention if symptoms occur.
Inhalation	PROMPT MEDICAL ATTENTION IS MANDATORY IN ALL CASES OF INHALATION OVEREXPOSURE. RESCUE PERSONNEL SHOULD BE EQUIPPED WITH SELF-CONTAINED BREATHING APPARATUS. Conscious inhalation victims should be assisted to an uncontaminated area and inhale fresh air. If breathing is difficult, administer oxygen. Unconscious persons should be moved to an uncontaminated area and, as necessary, given artificial resuscitation and supplemental oxygen. Treatment should be symptomatic and supportive.
Ingestion	None under normal use. Get medical attention if symptoms occur.
Notes to Physician	Treat symptomatically.

5. FIRE-FIGHTING MEASURES

Flammable Properties	Not flammable.
Suitable Extinguishing Media	Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
Explosion Data	
Sensitivity to Mechanical Impact	None
Sensitivity to Static Discharge	None
Specific Hazards Arising from the Chemical	Cylinders may rupture under extreme heat. Continue to cool fire-exposed cylinders until flames are extinguished. Damaged cylinders should be handled only by specialists.
Protective Equipment and Precautions for Firefighters	As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

6. ACCIDENTAL RELEASE MEASURES

Personal Precautions	Ensure adequate ventilation. Evacuate personnel to safe areas. Use personal protective equipment. Monitor oxygen level.
Environmental Precautions	Prevent spreading of vapors through sewers, ventilation systems and confined areas.
Methods for Containment	Stop the flow of gas or remove cylinder to outdoor location if this can be done without risk. If leak is in container or container valve, contact the appropriate emergency telephone number in Section 1 or call ISOFLEX USA: 1-415-440-4433.
Methods for Cleaning Up	Return cylinder to ISOFLEX USA.

7. HANDLING AND STORAGE

Handling	Use only in ventilated areas. Never attempt to lift a cylinder by its valve protection cap. Protect cylinders from physical damage; do not drag, roll, slide or drop. When moving cylinders, even for short distance, use a cart designed to transport cylinders. Use equipment rated for cylinder pressure. Use backflow preventive device in piping. Never insert an object (e.g. wrench, screwdriver, pry bar, etc.) into valve cap openings. Doing so may damage valve, causing leak to occur.
	Use an adjustable strap wrench to remove over-tight or rusted caps. Close valve after each use and when empty. If user experiences any difficulty operating cylinder valve discontinue use and contact supplier.
	Never put cylinders into trunks of cars or unventilated areas of passenger vehicles. Never attempt to refill a compressed gas cylinder without the owner's written consent. Never strike an arc on a compressed gas cylinder or make a cylinder a part of an electrical circuit. Keep out of the reach of children.
	Handle in accordance with good industrial hygiene and safety practice.
Storage	Protect from physical damage. Cylinders should be stored upright with valve protection cap in place and firmly secured to prevent falling. Store in cool, dry, well-ventilated area of non-combustible construction, away from heavily trafficked areas and emergency exits. Keep at temperatures below 52°C / 125°F. Full and empty cylinders should be segregated. Always store and handle compressed gas cylinders in accordance with Compressed Gas Association, pamphlet CGA-P1, <i>Safe Handling of Compressed Gases in Containers</i> .

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Exposure Guidelines	This product does not contain any hazardous materials with occupational exposure limits established by the region-specific regulatory bodies.
Engineering Measures	Local exhaust ventilation to prevent accumulation of high concentrations and maintain air-oxygen levels at or above 19.5%.

Skin and Body Protection	Work gloves and safety shoes are recommended when handling cylinders.
Respiratory Protection	
General Use	No special protective equipment required.
Emergency Use	Use positive pressure airline respirator with escape cylinder or self-contained breathing apparatus for oxygen-deficient atmospheres (<19.5%).
Hygiene Measures	Wear suitable gloves and eye/face protection.

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	Colorless.
Odor Threshold	No information available.
Flash Point	No information available.
Decomposition Temperature	No information available.
Freezing Point	No information available.
Water Solubility	8.61 m³/1 kg water @ 20°C and 1 atm
Vapor Pressure	No information available.
Gas Density	@ 21.1°C (70°F) ("NTP"): 0.0078 lb/ft³ (0.125 kg/m³) (0.125 g/ltr) @ 0°C ("STP"): 0.0084 lb/ft³ (0.135 kg/m³) (0.135 g/ltr)
Flammability Limits in Air	
Upper	Not applicable.
Lower	Not applicable.

10. STABILITY AND REACTIVITY

Stability	Stable.	
Incompatible Products	None known.	
Conditions to Avoid	None known.	
Hazardous Decomposition Products None known, based on information supplied.		
Hazardous Polymerization	Hazardous polymerization does not occur.	

11. TOXICOLOGICAL INFORMATION

Acute Toxicity

LD50 OralNo information available.LD50 DermalNo information available.

LC50 Inhalation	No information available.
Repeated Dose Toxicity	No information available.

Chronic Toxicity

Chronic Toxicity	None known.
Carcinogenicity	Contains no ingredient listed as a carcinogen.
Irritation	No information available.
Sensitization	No information available.
Reproductive Toxicity	No information available.
Developmental Toxicity	Oxygen deficiency during pregnancy has produced developmental abnormalities in humans and experimental animals.
Synergistic Materials	None known.
Target Organ Effects	None known.

12. ECOLOGICAL

INFORMATION Ecotoxicity

The environmental impact of this product has not been fully investigated.

Ozone depletion potential; ODP; (R-11 = 1): Does not contain ozone depleting chemical (40 CFR, Part 82).

13. DISPOSAL CONSIDERATIONS

 Waste Disposal Methods
 Do not attempt to dispose of residual waste or unused quantities. Return in the shipping container PROPERLY LABELED, WITH ANY VALVE OUTLET PLUGS OR CAPS SECURED, AND VALVE PROTECTION CAP IN PLACE to ISOFLEX USA for proper disposal.

14. TRANSPORT INFORMATION

DOT

Proper shipping name	Helium, compressed
Hazard Class	2.2
Subsidiary Class	None
UN-Number	UN1046
Description	UN1046, Helium, compressed, 2.2
Emergency Response	
Guide Number	121

TDG

Proper Shipping Name	
Hazard Class	
UN-Number	
Description	

MEX

Proper Shipping Name	Helium, compressed
Hazard Class	2.2
UN-Number	UN1046
Description	UN1046, Helium, compressed, 2.2

2.2 UN1046

Helium, compressed

UN1046, Helium, compressed, 2.2

IATA

UN-Number	UN1046
Proper Shipping Name	Helium, compressed
Hazard Class	2.2
ERG Code	2L
Description	UN1046, Helium, compressed, 2.2
Maximum Quantity	No information available.
for Passenger	
Maximum Quantity	No information available.
for Cargo Only	
Limited Quantity	No information available.

IMDG/IMO

Proper Shipping Name	Helium, compressed
Hazard Class	2.2
UN-Number	UN1046
EmS No.	F-C, S-V
Description	UN1046, Helium, compressed, 2.2

ADR

Proper Shipping Name	Helium, compressed
Hazard Class	2.2
UN-Number	UN1046
Classification Code	1A
Description	UN1046, Helium, compressed, 2.2

15. REGULATORY INFORMATION

International Inventories

TSCA	Complies
DSL	Complies
EINECS / ELINCS	Complies

Legend

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Commercial Chemical Substances/EU List of Notified Chemical Substances

U.S. Federal Regulations

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and *Title 40 of the Code of Federal Regulations, Part 372*.

SARA 311/312 Hazard Categories

Acute Health Hazard	No
Chronic Health Hazard	No
Fire Hazard	No
Sudden Release of	Yes
Pressure Hazard	
Reactive Hazard	No

Clean Water Act

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42).

Risk and Process Safety Management Programs

This material, as supplied, does not contain any regulated substances with specified thresholds under 40 CFR *Part 68.* This product does not contain any substances regulated as Highly Hazardous Chemicals pursuant to the 29 CFR *Part 1910.110*.

Clean Air Act, Section 112 Hazardous Air Pollutants (HAPs) (see 40 CFR 61)

This product does not contain any substances regulated as hazardous air pollutants (HAPS) under Section 112 of the Clean Air Act Amendments of 1990.

CERCLA/SARA

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (*40 CFR 302*) or the Superfund Amendments and Reauthorization Act (SARA) (*40 CFR 355*). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material.

U.S. State Regulations

California Proposition 65

This product does not contain any Proposition 65 chemicals.

U.S. State Right-to-Know Regulations

International Regulations

Canada

This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations (CPR) and the MSDS contains all the information required by the CPR.

WHMIS Hazard Class:	A compressed gas
---------------------	------------------

16. OTHER INFORMATION

	Prepared by	ISOFLEX USA P.O. Box 29475 San Francisco, CA 94129
	Issuing Date	28-Aug-2011
	Revision Date	N/A
	Revision Number	0
	Revision Note	Initial Release
NFPA	Health Hazard	0
	Flammability	0
	Stability	0
	Physical and	
	Chemical Hazards	Simple Asphyxiant

			•	
HMIS	Health Hazard	0		
	Flammability	0		
	Physical Hazard	3		
	Personal Protection	-		

Note: Ratings were assigned in accordance with Compressed Gas Association (CGA) guidelines as published in CGA Pamphlet P-19-2009, *CGA Recommended Hazard Ratings for Compressed Gases, 3rd Edition*.

General Disclaimer

For terms and conditions, including limitation of liability, please refer to the purchase agreement in effect between ISOFLEX USA (or any of their affiliates and subsidiaries) and the purchaser.

DISCLAIMER OF EXPRESSED AND IMPLIED WARRANTIES

Although reasonable care has been taken in the preparation of this document, we extend no warranties and make no representations as to the accuracy or completeness of the information contained herein, and assume no responsibility regarding the suitability of this information for the user's intended purposes or for the consequences of its use. Each individual should make a determination as to the suitability of the information for their particular purpose(s).